PATENT COOPERATION TREATY

From the INTERNATIONAL PRELIMINARY EXAM	MINING AUTHORITY		:	NOV 0 2 199	
To: KAREN L. ELBING CLARK & ELBING, LLP. 176 FEDRAL STREET			PCT	FOREIGN DEPARTA	'-
BOSTON, MA 02170-2214	2 1999	OCKETED FO ORNE WYX		OF APP OF SO	%
		(day/month/year) REPLY DUE	28 OCT	1999 600	
Applicants or agent's life reference	Applicant's or agent's file reference 00786/361WO2		vithin TWO months com the above date		2
International application No.	International filing date	(day/month/year)	Priority date (day)	/month/year)	7
PCT/US98/25247	25 NOVEMBER 19	98	25 NOVEMBE	R 1997	
International Patent Classification (IPC) IPC(6): C12Q 1/00, 1/02 and US Cl.		cation and IPC			
Applicant THE GENERAL HOSPITAL CORPO	RATION				
i i i i i i first			And the state of t	Control of the Analysis of the	7
This written opinion is the first 2. This opinion contains indications re			————	Examining Authority.	
I X Basis of the opinion					
					.
II Priority	· · · · · · · · · · · · · · · · · · ·			4 44.	
III Non-establishment of	opinion with regard to a	novelty, inventive ste	p or industrial appli	Cability	
V Reasoned statement	under Rule 66.2(a)(ii) wittions supporting such st		inventive step or in	dustrial applicability;	
VI Certain documents ci	ted				
VII Certain defects in the	international application	Ω.	<u>,</u>		Ì
VIII Certain observations	on the international appl	ication			
3. The applicant is hereby invited to re	eply to this opinion.				
	dicated above. The apple of the		expiration of that ti	me limit, request this	
	tten reply, accompanied, e language of the amend			ording to Rule 66.3.	
For the examiners of For an informal com	portunity to submit ame obligation to consider am imunication with the exa	endments and/or arguminer, see Rule 66.6	iments, see Rule 66		
If no reply is filed, the international preliminary examination report will be established on the basis of this opinion.					
The final date by which the internat examination report must be establis	ional preliminary hed according to Rule 6	9.2 is: 25 MARCH 2	2000		
Name and mailing address of the IPEA/	US	Authorized office	1 . 1 . 1		٦
Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231		BRENDA BROT	MARKEV	tellen	
Facsimile No. (703) 305-3230		Telephone to.	7 03) 3 08-0196		*


Form PCT/IPEA/408 (cover sheet) (January 1994)*

WRITTEN OPINION

International application No.

PCT/US98/25247

Ļ	the internations	al application as origi	nally filed.
x	the description.	pages 1-73 pages NONE pages NONE	, as originally filed, filed with the demand, filed with the letter of
X	the claims,	Nos. 1-43 Nos. NONE Nos. NONE Nos. NONE	, as originally filed, as amended under Article 19, filed with the demand, filed with the letter of
x	the drawings,	sheets/fig NONE sheets/fig 1-160 sheets/fig NONE	, as originally filed. , filed with the demand. , filed with the letter of
e amer	dments have result	ed in the cancellation	of:
x x	the description, the claims, the drawings,	pages NONE Nos. NONE sheets/Fig NONE	
co	uis opinion has bee naidered to go beyon ule 70.2(c)).	n established as if (so nd the disclosure as file	ome of) the amendments had not been made, since they have d, as indicated in the Supplemental Box Additional observations



International application No.

PCT/US98/25247

. STATEMENT			
Novelty (N)	Claims	1-37	YE
e au au mair anthromainne e en an anthromainne	Claims	38, 39, 41 and 43	NO
Inventive Step (IS)	Claims	1-37	YE
	Claims	38-43	NO
Industrial Applicability (IA)	Claims	1-43	Y
Industrial Applicability (IA)	Claims	NONE	NC NC
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture.	velty under PCT which inhibit the step under PCT	Article 33(3) as being obvious over Mole	as measured by detecting anari et al in view of Cohi
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive	velty under PCT which inhibit the step under PCT cyanin as a mease ction of pyocyani of P. aeruginosa	Article 33(2) as being anticipated by M virulence of <i>Pseudomonas aeruginosa</i> , Article 33(3) as being obvious over Molare of <i>P. aeruginosa</i> virulence. Molars a spectroscopically at an absorbance of a virulence and Cohn et al teach detect	as measured by detecting anari et al in view of Cohn ari et al teach detection of 520nm. Because Molanar
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detecteach detection of pyocyanin as a measure	velty under PCT which inhibit the step under PCT cyanin as a mease ction of pyocyani of P. aeruginosa	Article 33(2) as being anticipated by M virulence of <i>Pseudomonas aeruginosa</i> , Article 33(3) as being obvious over Molare of <i>P. aeruginosa</i> virulence. Molars a spectroscopically at an absorbance of a virulence and Cohn et al teach detect	as measured by detecting anari et al in view of Cohr ari et al teach detection of 520nm. Because Molanar
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detecteach detection of pyocyanin as a measure claimed invention cannot be considered as he	velty under PCT which inhibit the step under PCT cyanin as a measurement of P. aeruginosa aving required at, COHN et al, "T	Article 33(2) as being anticipated by M virulence of <i>Pseudomonas aeruginosa</i> , Article 33(3) as being obvious over Molare of <i>P. aeruginosa</i> virulence. Molaran spectroscopically at an absorbance of a virulence and Cohn et al teach detect in inventive step.	as measured by detecting anari et al in view of Cohr iri et al teach detection of 520nm. Because Molanar ion spectroscopically, the ession in a clinical isolate
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detectach detection of pyocyanin as a measure claimed invention cannot be considered as home the considered as home	velty under PCT which inhibit the step under PCT cyanin as a measurement of P. aeruginosa aving required at, COHN et al, "T	Article 33(2) as being anticipated by M virulence of <i>Pseudomonas aeruginosa</i> , Article 33(3) as being obvious over Molare of <i>P. aeruginosa</i> virulence. Molaran spectroscopically at an absorbance of a virulence and Cohn et al teach detect in inventive step.	as measured by detecting anari et al in view of Cohr iri et al teach detection of 520nm. Because Molanar ion spectroscopically, the ession in a clinical isolate
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detectach detection of pyocyanin as a measure claimed invention cannot be considered as home the considered as home	velty under PCT which inhibit the step under PCT cyanin as a measuration of pyocyani of P. aeruginosa aving required as pour per per per per per per per per per pe	Article 33(2) as being anticipated by M virulence of <i>Pseudomonas aeruginosa</i> , Article 33(3) as being obvious over Molare of <i>P. aeruginosa</i> virulence. Molans a spectroscopically at an absorbance of a virulence and Cohn et al teach detect in inventive step. The effect of amiloride on pigment exprecipinal and Experimental, Abstract, A	as measured by detecting anari et al in view of Cohrari et al teach detection of 20nm. Because Molanarion spectroscopically, the ession in a clinical isolate pril 1992, Vol. 51, No. 4
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detectach detection of pyocyanin as a measure claimed invention cannot be considered as homeometric co	velty under PCT which inhibit the step under PCT cyanin as a measiction of pyocyani of P. aeruginosa aving required at , COHN et al, "Topeutic Research -	Article 33(2) as being anticipated by M virulence of Pseudomonas aeruginosa, Article 33(3) as being obvious over Molare of P. aeruginosa virulence. Molanan spectroscopically at an absorbance of a virulence and Cohn et al teach detect in inventive step. The effect of amiloride on pigment expressional and Experimental, Abstract, A	as measured by detecting anari et al in view of Cohr iri et al teach detection of 520nm. Because Molanar ion spectroscopically, the ession in a clinical isolate
Claims 38, 39, 41, and 43 lack no al teach methods of identifying compounds the presence of pyocyanin in culture. Claims 40 and 42 lack an inventive et al. Molanari et al teach detection of pyocyanin visually. Cohn et al teach detectach detection of pyocyanin as a measure claimed invention cannot be considered as homeometric measures as a measure claimed invention cannot be considered as homeometric measures. NEW CITATIONS Database Medline on Dialog, No. 01659441 of Pseudomonas aeruginosa." Current Therapp. 562-567.	velty under PCT which inhibit the step under PCT cyanin as a measurement of P. aeruginosa aving required at peutic Research -	Article 33(2) as being anticipated by M virulence of Pseudomonas aeruginosa, Article 33(3) as being obvious over Molare of P. aeruginosa virulence. Molanan spectroscopically at an absorbance of a virulence and Cohn et al teach detect in inventive step. The effect of amiloride on pigment expressional and Experimental, Abstract, A	anari et al in view of Coh ari et al teach detection of 520nm. Because Molana ion spectroscopically, th ession in a clinical isolat pril 1992, Vol. 51, No. 4

WRITTEN OPINION

Form DOTANE

International application No.

Continuation of: Boxes I - VIII TIME LIMIT: The time limit set for response to a Written Opinion may not be extended. 37 CFI after the expiration of the time limit set in the Written Opinion will not be considered in prepreliminary Examination Report.	
TIME LIMIT: The time limit set for response to a Written Opinion may not be extended. 37 CFI after the expiration of the time limit set in the Written Opinion will not be considered in prepreliminary Examination Report.	
The time limit set for response to a Written Opinion may not be extended. 37 CFI after the expiration of the time limit set in the Written Opinion will not be considered in prepreliminary Examination Report.	Sheet 10
	R 1.484(d). Any response received paring the International
	Sheet 10
•	